

RECEIVED CENTRAL FAX CENTER NOV 0 4 2005

Grant Prideco, L.P.

400 N. Sam Houston Parkway East

Suite 900

Houston, TX 77060

Phone: (281) 878-5655

Fax: (281) 878-5720

Jayne Sippl Legal Assistant

AX COVER SHEET

Date:	Nov 4, 2005		
To:	USPTO; Art Unit 3672	From:	Jayne Sippl
	Attn William P. Neuder	Phone:	(281) 878-5655
Fax:	571.273.8300	Mobile:	
Phone:		Fax:	(281) 878-5720

Number of pages including cover sheet: 11

Reply to office action for 10/605,863

The Commissioner is hereby authorized to charge any additional fees that may be required at any time during the prosecution of this application without specific authorization, or credit any overpayment, to Deposit Account No. 180584.

This facsimile and the information contained in it and attached to it is the property of Grant Prideco, inc. and/or its subsidiaries and is confidential, intended for the addressee only. If you are not the addressee or one authorized by the addressee to receive this facsimile, you are requested not to use, copy or disseminate the information, and to notify the sender immediately of its receipt by

PAGE 1/11 * RCVD AT 11/4/2005 3:01:07 PM [Eastern Standard Time] * SVR:USPTO-EFXRF-6/33 * DNIS:2738300 * CSID:281 8785720 * DURATION (mm-ss):02-18

RECEIVED
CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOV 0 4 2005

In re Application of

Hall, David R., et al

Serial No.: 10/605,863

Filed: October 31, 2003

For: Improved Drill String Transmission Line

Art Group: 3672

Examiner: Neuder, William P.

Docket No.: 66.0038

VIA FAX: (571) 273-8300

November 4, 2005

Honorable Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

This paper is timely submitted in response to the Patent and Trademark Office Action mailed August 4, 2005 for which the shortened – statutory period for response is set to expire on November 4, 2005. Reconsideration of the application in view of the following amendments and remarks is respectfully requested.

AMENDMENT

Please amend the above-identified application as follows: